

## a 1165 # Expanded Dictionary Study

a 1165 # deigmatizo {digh-mat-id' -zo}; from 1164; to exhibit: -  
- make {a} shew. [ql

a 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from 3844  
and 1165; to show alongside (the public), i.e. expose to infamy:  
-- make {a} public example, put to an open shame. [ql

an 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from 3844  
and 1165; to show alongside (the public), i.e. expose to infamy:  
-- make a public example, put to {an} open shame. [ql

example 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from  
3844 and 1165; to show alongside (the public), i.e. expose to  
infamy: -- make a public {example}, put to an open shame. [ql

make 1165 # deigmatizo {digh-mat-id' -zo}; from 1164; to  
exhibit: -- {make} a shew. [ql

make 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from 3844  
and 1165; to show alongside (the public), i.e. expose to infamy:  
-- {make} a public example, put to an open shame. [ql

open 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from 3844  
and 1165; to show alongside (the public), i.e. expose to infamy:  
-- make a public example, put to an {open} shame. [ql

public 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from  
3844 and 1165; to show alongside (the public), i.e. expose to  
infamy: -- make a {public} example, put to an open shame. [ql

put 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from 3844  
and 1165; to show alongside (the public), i.e. expose to infamy:  
-- make a public example, {put} to an open shame. [ql

shame 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from  
3844 and 1165; to show alongside (the public), i.e. expose to  
infamy: -- make a public example, put to an open {shame}. [ql

shew 1165 # deigmatizo {digh-mat-id' -zo}; from 1164; to  
exhibit: -- make a {shew}. [ql

to 3856 # paradeigmatizo {par-ad-igue-mat-id' -zo}; from 3844  
and 1165; to show alongside (the public), i.e. expose to infamy:  
-- make a public example, put {to} an open shame. [ql

~~~~~