

thickness , 2CH , 4:5 thickness , EZE , 41:9 , EZE , 42:10 thickness , JER , 52:21

thickness Interlinear Index Study thickness 2CH 004 005 And the {thickness} <05672 + of it [ was ] an handbreadth <02947 +tephach>, and the brim <08193 +saphah > of it like <03651 +ken > the work <04639 +ma of the brim <08193 +saphah > of a cup <03563 +kowc >, with flowers <06525 +perach > of lilies <07799+shuwshan >; [ and ] it received <02388 +chazaq > and held <03557 +kuwl > three <07969 +shalowsh > thousand <00505 +>eleph > baths <01324 +bath > . thickness JER 052 021 And [ concerning ] the pillars <05982 +, the height <06967 +qowmah > of one <00259 +>echad > pillar <05982 + [was] eighteen cubits <00520+>ammah >; and a fillet <02339 +chuwt > of twelve cubits <00520 +>ammah > did compass <05437 +cabab > it ; and the {thickness} <05672 + thereof [ was ] four <00702 +>arba< > fingers <00676 +>etsba< > : [ it was ] hollow <05014 + nabab >. thickness EZE 041 009 The {thickness} <07341 + rochab > of the wall <07023 + qiyr >, which <00834 +> aher > [ was ] for the side <06763 + tsela<> chamber <06763 + tsela<> without <02351+chuwts >, [was] five <02568 +chamesh > cubits <00520 +>ammah > : and [that] which [was] left <03240+yanach > [was] the place <01004 +bayith > of the side <06763 +tsela< > chambers <06763 +tsela< > that [ were ] within <01004 +bayith > . thickness EZE 042 010 The chambers <03957 +lishkah > [ were ] in the  $\{ \text{thickness} \} < 07341 + \text{rochab} > \text{of the wall} < 01444 + \text{geder} > \text{of the court} < 02691 + \text{chatser} > \text{toward} < 01870$ +derek > the east <06921 +qadiym > , over against <06440 +paniym > the separate <01508 +gizrah > place , and over against <06440 +paniym > the building <01146 +binyan > .

thickness thereof

# **KJV Bible Word Studies for THICKNESS**

# **Bible Greek and Hebrew Dictionaries combined for Word Studies**

thickness 7341 ## rochab {ro'-khab}; from 7337; width (literally or figuratively): -- breadth, broad, largeness, {thickness}, wideness.

# Hebrew and Greek Strong's Dictionary with all the definitions plus combined with every place that word is used in the definitions.

# Complete index of every word used in both the Hebrew and Greek Strong's Dictionary in English Word order.

thickness 07341 ## rochab {ro'- khab} ; from 07337 ; width (literally or figuratively) : -- breadth , broad , largeness , {thickness} , wideness .

Greek Strong's Dictionary with all the Synonyms inserted into the definitions.

Root Words and their word stems. This helps you see all related words in the English.

4 - thickness

# English Theasurus that shows all the ways the English word is translated from the original Greek and Hebrew.

thickness 7341 rochab -- -- breadth, broad, largeness, {thickness}, wideness.

Greek Cross References that shows all the ways the Greek is translated from the English word.

### **English to Hebrew and Greek Thesaurus**

The - is marking the Old Testament words. The \* is marking the New Testament Words. English list of words is 15,684 \* Hebrew Numbers refered to 8,674 \* Greek Numbers refered to 5,624 \* Unique English words in N.T. 5,437 \* Unique English words in O.T. 10,254

- thickness, 5672, 7341,

English Synonyms with Greek Strong's Number.



#### eBibleSoftware Engineering

#### Web Suite of Bible Study Tools

Explore all the new ways to study and using

#### these tools to strengthen your Walk with God

Return to the eBibleSoftware Home Web Site

English Concordance to the KJV Bible.

#### **BibleSoftware Web Suite of Links:**

#### A Call To Action

Much effort has been made to ensure that the quality of all the material but this is still a work in progress. Please feel free to let me know of any major problems with these websites. If you encounter a problem that is not listed as a known issue, I am most likely not aware of it. Please email me a heads-up. Your help will benefit the others who visit this site.

Please browse and find lots of Bible studies prepared for you.

eBibleSoftware.com Bible Software Engineering P. O. Box 513 Caldwell Idaho 83606 Copyright (c) 1985-2002

Questions ? Email the author of Bible Software Engineering

# One Word English Phrase Index to the KJV Bible.

thickness 2Ch\_04\_05 # And the thickness of it [was] an handbreadth, and the brim of it like the work of the brim of a cup, with flowers of lilies; [and] it received and held three thousand baths.

thickness Eze\_41\_09 # The thickness of the wall, which [was] for the side chamber without, [was] five cubits: and [that] which [was] left [was] the place of the side chambers that [were] within.

thickness Eze\_42\_10 # The chambers [were] in the thickness of the wall of the court toward the east, over against the separate place, and over against the building.

thickness Jer\_52\_21 # And [concerning] the pillars, the height of one pillar [was] eighteen cubits; and a fillet of twelve cubits did compass it; and the thickness thereof [was] four fingers: [it was] hollow.

# Three Word English Phrase Index to the KJV Bible.

thickness of it 2Ch\_04\_05 # And the thickness of it [was] an handbreadth, and the brim of it like the work of the brim of a cup, with flowers of lilies; [and] it received and held three thousand baths.

thickness of the Eze\_41\_09 # The thickness of the wall, which [was] for the side chamber without, [was] five cubits: and [that] which [was] left [was] the place of the side chambers that [were] within.

thickness of the Eze\_42\_10 # The chambers [were] in the thickness of the wall of the court toward the east, over against the separate place, and over against the building.

thickness thereof was Jer\_52\_21 # And [concerning] the pillars, the height of one pillar [was] eighteen cubits; and a fillet of twelve cubits did compass it; and the thickness thereof [was] four fingers: [it was] hollow.

# **Bible Phrases for Individual word studies**

thickness thereof Jer\_52\_21

# **Bible Quick Find Phrase Concordance for fast finding of phrases**

thickness ^ 2Ch\_04\_05 / thickness /^of it [was] an handbreadth, and the brim of it like the work of the brim of a cup, with flowers of lilies; [and] it received and held three thousand baths.

thickness ^ Eze\_42\_10 / thickness /^of the wall of the court toward the east, over against the separate place, and over against the building.

thickness ^ Eze\_41\_09 / thickness /^of the wall, which [was] for the side chamber without, [was] five cubits: and [that] which [was] left [was] the place of the side chambers that [were] within.

thickness ^ Jer\_52\_21 / thickness /^thereof [was] four fingers: [it was] hollow.

# **Bible Translation Phrases for Individual word studies**

# Bible Word Index with the full text of each verse

thickness Eze\_42\_10 The chambers [were] in the {thickness} of the wall of the court toward the east, over against the separate place, and over against the building.

thickness Jer\_52\_21 And [concerning] the pillars, the height of one pillar [was] eighteen cubits; and a fillet of twelve cubits did compass it; and the {thickness} thereof [was] four fingers: [it was] hollow.

thickness Eze\_41\_09 The {thickness} of the wall, which [was] for the side chamber without, [was] five cubits: and [that] which [was] left [was] the place of the side chambers that [were] within.

thickness 2Ch\_04\_05 And the {thickness} of it [was] an handbreadth, and the brim of it like the work of the brim of a cup, with flowers of lilies; [and] it received and held three thousand baths.

Bible Word Index with Strong's Number with the full text of each verse



#### eBibleSoftware Engineering

#### Web Suite of Bible Study Tools

#### Explore all the new ways to study and using

#### these tools to strengthen your Walk with God

Return to the eBibleSoftware Home Web Site

**Bible Word Index with Strong's Number** 

#### Language Tranliteration of original language words

thickness  $2Ch_04_05$  And the {thickness} (05672 +(abiy) of it [ was ] an handbreadth (02947 +tephach), and the brim (08193 +saphah) of it like (03651 +ken) the work (04639 +ma(aseh) of the brim (08193 +saphah) of a cup (03563 +kowc), with flowers (06525 +perach) of lilies (07799 +shuwshan); [ and ] it received (02388 +chazaq) and held (03557 +kuwl) three (07969 +shalowsh) thousand (00505 +)eleph) baths (01324 +bath).

thickness  $Eze_{41_09}$  The {thickness} (07341 +rochab ) of the wall (07023 +qiyr ), which (00834 +)aher ) [ was ] for the side (06763 +tsela( ) chamber (06763 +tsela( ) without (02351 +chuwts ), [ was ] five (02568 +chamesh ) cubits (00520 +)ammah ):and [ that ] which [ was ] left (03240 +yanach ) [ was ] the place (01004 +bayith ) of the side (06763 +tsela( ) chambers (06763 +tsela( ) that [ were ] within (01004 +bayith ).

thickness Eze\_42\_10 The chambers (03957 +lishkah ) [were ] in the {thickness} (07341 +rochab ) of the wall (01444 +geder ) of the court (02691 +chatser ) toward (01870 +derek ) the east (06921 +qadiym ), over against (06440 +paniym ) the separate (01508 +gizrah ) place , and over against (06440 +paniym ) the building (01146 +binyan ).

thickness Jer\_52\_21 And [ concerning ] the pillars (05982 +(ammuwd ), the height (06967 +qowmah ) of one (00259 +)echad ) pillar (05982 +(ammuwd ) [ was ] eighteen cubits (00520 +)ammah ); and a fillet (02339 +chuwt ) of twelve cubits (00520 +)ammah ) did compass (05437 +cabab ) it ; and the {thickness} (05672 +(abiy ) thereof [ was ] four (00702 +)arba() fingers (00676 +)etsba():[ it was ] hollow (05014 +nabab ).



#### A Call To Action

Much effort has been made to ensure that the quality of all the material but this is still a work in progress. Please feel free to let me know of any major problems with these websites. If you encounter a problem that is not listed as a known issue, I am most likely not aware of it. Please email me a heads-up. Your help will benefit the others who visit this site.

Please browse and find lots of Bible studies prepared for you.

#### eBibleSoftware.com

Bible Software Engineering P. O. Box 513 Caldwell Idaho 83606 Copyright (c) 1985-2002

Questions ? Email the author of Bible Software Engineering

thickness -5672 thick, {thickness}, thickness -7341 breadth, broad, largeness, thick, {thickness}, wideness, thickness 7341 rochab -- -- breadth, broad, largeness, {thickness}, wideness. thickness 7341 ## rochab {ro'-khab}; from 7337; width (literally or figuratively): -- breadth, broad, largeness, {thickness}, wideness.[ql thickness 003 005 IICh /^{ thickness /of it was an handbreadth, and the brim of it like the work of the brim of a cup, with flowers of lilies; and it received and held three thousand baths. thickness 041 009 Eze /^{thickness /of the wall, which was for the side chamber without, was five cubits : and that which was left was the place of the side chambers that were within . thickness 042 010 Eze /^{thickness /of the wall of the court toward the east , over against the separate place, and over against the building. thickness 052 021 Jer /^{thickness /thereof was four fingers : it was hollow . thickness 4 - thickness , 2CH , 4:5 thickness , EZE , 41:9 , EZE , 42:10 thickness , JER , 52:21 thickness Interlinear Index Study thickness 2CH 004 005 And the {thickness} <05672 + of it [ was ] an handbreadth <02947 +tephach>, and the brim <08193 +saphah > of it like <03651 +ken > the work <04639 +ma of the brim <08193 +saphah > of a cup <03563 +kowc >, with flowers <06525 +perach > of lilies <07799+shuwshan >; [ and ] it received <02388 +chazaq > and held <03557 +kuwl > three <07969 +shalowsh > thousand <00505 +>eleph > baths <01324 +bath > . thickness JER 052 021 And [ concerning ] the pillars <05982 +, the height <06967 +gowmah > of one <00259 +>echad > pillar <05982 + [ was ] eighteen cubits <00520+>ammah >; and a fillet <02339 +chuwt > of twelve cubits <00520 +>ammah > did compass <05437 +cabab > it ; and the {thickness} <05672 + thereof [ was ] four <00702 +>arba< > fingers <00676 +>etsba< > : [ it was ] hollow <05014 +nabab > . thickness EZE 041 009 The {thickness} <07341 +rochab > of the wall <07023 +qiyr > , which <00834 +> aher > [ was ] for the side <06763 + tsela<> chamber <06763 + tsela<> without <02351+chuwts >, [was] five <02568 +chamesh > cubits <00520 +>ammah > : and [that] which [was] left <03240+yanach > [was] the place <01004 +bayith > of the side <06763 +tsela< > chambers <06763 +tsela< > that [ were ] within <01004 +bayith > . thickness EZE 042 010 The chambers <03957 +lishkah > [ were ] in the  ${\rm thickness} < 07341 + {\rm rochab} > {\rm of the wall} < 01444 + {\rm geder} > {\rm of the court} < 02691 + {\rm chatser} > {\rm toward} < 01870$ +derek > the east <06921 +qadiym > , over against <06440 +paniym > the separate <01508 +gizrah > place , and over against <06440 + paniym > the building <01146 + binyan >. thickness thereof thickness <2CH4 - 5> And the {thickness} of it [was] an handbreadth, and the brim of it like the work of the brim of a cup, with flowers of lilies; [and] it received and held three thousand baths. thickness And [concerning] the pillars, the height of one pillar [was] eighteen cubits; and a fillet of twelve cubits did compass it; and the {thickness} thereof [was] four fingers: [it was] hollow. thickness The {thickness} of the wall, which [was] for the side chamber without, [was] five cubits: and [that] which [was] left [was] the place of the side chambers that [were] within. thickness The chambers [were] in the {thickness} of the wall of the court toward the east, over against the separate place, and over against the building.

thickness -5672 thick , {thickness} , thickness -7341 breadth , broad , largeness , thick , {thickness} , wideness ,

thickness 7341 rochab -- -- breadth, broad, largeness, {thickness}, wideness.

thickness 7341 ## rochab {ro'-khab}; from 7337; width (literally or figuratively): -- breadth, broad, largeness, {thickness}, wideness.[ql



# eBibleSoftware Engineering

# Web Suite of Bible Study Tools

# Explore all the new ways to study and using

these tools to strengthen your Walk with God

#### Return to the eBibleSoftware Home Web Site

### **BibleSoftware Web Suite of Links:**

eBibleProductions.com eBibleSoftware.com eBibleReferences.com eBibleAudio.com eBiblePhotos.com eBibleVideo.com BibleBookStudies.com **BibleGreekStudies.com BibleHebrewStudies.com BiblePhraseStudies.com BibleVerseStudies.com BibleWordStudies.com** eBible-Studies.com eBibleBibles.com eBibleBooks.com eBibleConcordances.com eBibleDevotionals.com eBibleDictionary.com eBibleGreek.com eBibleHebrew.com eBibleLanguages.com eBiblePhrases.com eBiblePictures.com eBibleSynonyms.com eBibleVerses.com eBibleWords.com ScreenSaviours.com **GreekBiblestudies.com** HebrewBibleStudies.com InternetStudyBible.com eBibleRadio.com

#### eBibleeBooks.com eBibleSearch.com

Enter Your Name:	
Enter your Email:	

Free KJV Bible Ebook

### eBible Words

- 1. 2. English Word Language Transliterations
- 3. English Word Synonyms Thesaurus
- 4. English Word Dictionary
- 5. English Word Concordances
- 6. English Word Phrases Indexes
- 7. English Word Combinations Complete Studies

<u>Jump to start of file</u> Bible Software Engineering P. O. Box 513 Caldwell Idaho 83606 Copyright (c) 1985-2002

Questions ? Email the author of Bible Software Engineering

thickness 003 005 IICh /^{thickness /of it was an handbreadth , and the brim of it like the work of the brim of a cup , with flowers of lilies ; and it received and held three thousand baths . thickness 041 009 Eze /^{thickness /of the wall , which was for the side chamber without , was five cubits : and that which was left was the place of the side chambers that were within . thickness 042 010 Eze /^{thickness /of the wall of the court toward the east , over against the separate place , and over against the building . thickness 052 021 Jer /^{thickness /thereof was four fingers : it was hollow .

thickness 4 -

thickness <2CH4 -5> And the {thickness} of it [was] an handbreadth, and the brim of it like the work of the brim of a cup, with flowers of lilies; [and] it received and held three thousand baths. thickness And [concerning] the pillars, the height of one pillar [was] eighteen cubits; and a fillet of twelve cubits did compass it; and the {thickness} thereof [was] four fingers: [it was] hollow. thickness The {thickness} of the wall, which [was] for the side chamber without, [was] five cubits: and [that] which [was] left [was] the place of the side chambers that [were] within. thickness The chambers [were] in the {thickness} of the wall of the court toward the east, over against the separate place, and over against the building.